INDEX

RUBBER CHEMISTRY AND TECHNOLOGY VOLUME XXV, 1952

AUTHOR INDEX

	Page		Page
ADAMS, J. W., REYNOLDS, J. A., MESSER, W. E., AND HOWLAND, L. H. Abrasion		AND WILLIAMS, G. E. Belt-flexing	110
resistance of GR-S vulcanizates	191	BURMISTROV, S. I. Qualitative analysis of	
ADAMS, S. R. See SHAW, R. F.		rubber mixtures. II	157
ALLISON, A. R., AND STANLEY, I. J. Ozone deterioration of elastomeric materials.		CASSAGNE, PAUL. Heat sensitivity of Hevea	
Preliminary results of a study by infrared	908	latex.	
AMERONGEN, G. J. VAN. Chlorinated rubber	906	I. Action of complex sinc-ammonium complexes	303
from latex	609	II. Process of heat sensitization of degraded	000
ANDREWS, R. D. Correlation of dynamic		latex	309
and static measurements of rubber-like		CATSIFF, E. See BISCHOFF, J. CHASSET, R. See THIRION, P.	
MATHONY, ROBERT L. See WITTE, ROBERT S.	730	CLARKE, FREDERICK E. See GOWANS,	
ARNOLD, AURELIA, MADORSKY, IRVING, AND		WILLIAM J.	
WOOD, LAWRENCE A. Measurement of		COLEMAN, R. J. See PIERSON, R. M.	
refractive index of elastomers	693	CODRINGTON, R. S. See HOLBOYD, L. V. COLLIEB, H. M. See MADGE, E. W. COTTON, F. H., AND LEE, K. O. Effect of	
D. www. D. H. C., Twompson D. C.		COLLIER, H. M. See MADGE, E. W.	
BAKER, R. H. See THOMPSON, D. C. BARTEL, A. W., AND TEMPLE, J. W. Ozone		storage of milled rubber on its molecular	
in Los Angeles and surrounding areas	945	weight	71
BATEMAN, L., AND GEE, G. Determination		Effects of antioxidants on the rate of break-	
of absolute rate constants for olefinic		down of rubber during mastication	287
oxidations by measurement of photo- chemical pre- and after effects. I. At		CRABTREE, J., AND ERICKSON, R. H. Atmospheric ozone. A simple approximate	
"high" oxygen pressures	15	method of measurement	700
BEATTY, J. R. Test for crystallization effects		CUTHBERTSON, G. R., AND DUNNOM, D. D.	
in rubbers	689	Cracking of rubber and GR-S in ozone.	878
RACHEL J. NORMAN. See FANNING,		Effects of temperature and elongation	010
BELITSKAYA, R. M. See KUZMINSKII, A. S.		DAHLQUIST, C. A., HENDRICKS, J. O., AND	
Belmas, Robert. Contribution to the phys-		DAHLQUIST, C. A., HENDRICKS, J. O., AND TAYLOR, N. W. Elasticity of soft poly- mers. Constant-stress elongation tests	
ical chemistry of Heves latex.	194	mers. Constant-stress elongation tests	56
I. Metal cations in latex	124	DANNENBERG, E. M. Carbon black disper- sion and reinforcement	843
surface of latex particles	132	DELALANDE, ANDRÉ. Action of unsaturated	
BLOKH, G. A. See KUL'BERG, L. M. BISCHOFF, J., CATSIFF, E., AND TOBOLSKY, A. V. Elastoviscous properties of amor-		compounds on natural rubber in solution.	
BISCHOFF, J., CATSIFF, E., AND TOBOLSKY,		I. The reaction catalysed by a peroxide	275
phous polymers in the transition region.		II. The reaction induced by heat alone DELATTRE, ROBERT. Heat sensitization of	
1	751	later by the sine salt of mercaptobenso-	
BLACKWELL, R. F. Quantitative characteri- sation of cure. I. Relationship between		D'IANNI, J. D. See PIERSON, R. M. DOGADKIN, B. A., AND SANDOMIRSKI, D. M.	621
sation of cure. I. Relationship between		D'IANNI, J. D. See PIERSON, R. M.	
modulus and strain of pure-gum natural-	430	Effect of temperature and rate of stretch-	
rubber vulcanizates. , Fletcher, W. P., and Gee, Geof-	*00	ing on the tensile strength of vulcani-	
FREY. Quantitative characterization of		sates	50
cure. III. Relation between compound		D'OR, L., AND KÖSSLER, I. Infrared spectro-	
viscosity and vulcanizate stiffness of pure-gum natural-rubber vulcanizates	446	metric study of the oxidation of natural	251
BLANCHARD, A. F., AND PARKINSON, D.	***	DUCKWORTH F. H. See MADGE, E. W.	
Breakage of carbon-rubber networks by		DUKE, JUNE, TAFF, W. K., AND KOLTHOFF, I. M. Formation of bound rubber of	
applied stress	808	I. M. Formation of bound rubber of	500
BLIEARD, ROBERT, B. Viscoelasticity of rub- ber	490	GR-S type polymers with carbon blacks. Dunnon, D. D. See Cuthbertson, G. R.	500
BLOKH, G. A. See KUL'BERG, L. M.	***	Dennos, D. D. De Combanison, G. M.	
BOLT, THOMAS D. See STECHERT, DIETRICH		ELLIOTT, R. See BORROFF, E. M.	
Banan P M France D W		ERICKSON, R. H. See CRABTREE, J.	
BORROFF, E. M., ELLIOTT, R., AND WAKE, W. C. Effect of speed of stripping on		EYE, B. J. VAN. See SALOMON, G.	
the measured adhesion between con-		FACKLER, MARION B., AND RUGG, JOHN S.	
veyor-belting plies	391	Migration of materials during accelerated	
BOWLER, WILLIAM W. Water vapor perme-	1000	FANNING, RACHEL J., AND BEKKEDHAL,	331
ability and sorption of Heves latex films.	1000	Norman. Quantitative determination	
BROWNLOW, R. W. See THOMPSON, D. C. Buist, J. M. Abrasion and wear of rubber.		of natural-rubber hydrocarbon by re-	
Analysis of wear curves	107	fractive index measurements	680

	Page		Page
Ferry, John D., Fitzgerald, Edwin R., Grandine, Lester D., Jr., and Wil- Liams, Malcolm L. Temperature de- pendence of dynamic properties of clasto-		KETELAAR, J. A. A. R. See SALOMON, G. KIRSHENBAUM, A. D., HOFFMAN, C. W., AND GROSSE, A. V. Autoradiographic technique with carbonlin rubbes.	291
mers. Relaxation distributions. FITZGERALD; W. P., GEE, GEOFFREY, AND MORRELL, S. H. Quantitative char- acterization of cure. II. Use of modu- lus as a measure of the state of cure of	720	KÖSSLER, J. See D'OR, L. KOLTHOFF, I. M. See D'UKE, JUNE. KONINOBERGER, C. See SALOMON, G. KRAY, G. M., AND TEMPEL, M. VAN DEN. Mechanism of the gelling of Hevea latex	
FLETCHER, W. P. See BLACKWELL, R. F.	400	by zine compounds. Kul'Berg, L. M., Blokh, G. A., and Goly- BKOVA, E. A. Application of drop analy- sis to the detection of compounding	995
of Butyl rubber-carbon black systems FOXTON, R. N. See GALLOWAY, P. D. FREY, HORST. Determination of free sulfur in vulcanized rubber mixtures.	858 365	ingredients in rubber mixtures. II	152
Determination of total sulfur in vulcanized rubber. Friedrich, Ralph E. See Jones, Giffin D.	371	of the mechanical properties of vulcani- zates during the early stages of thermal oxidation.	801
Galloway, P. D., and Foxton, R. N. Detection of elemental sulfur in minute quantities as in "blooms"	959	—— SHANIN, L. L., AND LEZHNEV, N. N. Diffusion of oxygen and oxidation of rubber in the presence of phenyl-β-naphthylamine.	230
logical properties of rubber mixtures by their fluidity	339	naphthylamine — Shokhin, I. A., and Belitskaya, R. M. Nature of structural changes in butadiene rubbers caused by high tem- peratures (100–200° C).	33
IV. Definition and measurement of rate		LEE, K. O. See COTTON, F. H. LE FOLL, JACQUES. Chemical constitution	30
or care for pure-gain natural-tubber compounds. See Bateman, L., Blackwell, R. F., and Fletcher, W. P. Geiman, S. D. See Gui, K. E. Gessler, A. M. See Ford, F. P. Gils, G. E. van. Zinc oxide stability of latex.	454	LEZHAEV. N. See KUZMINSKII, A. S. LUKIN, B. V. See KASATOCHKIN, V. I. LYON, FRANCIS. See SWEITZER, C. W. LYONS, W. JAMES. EVALUATING dynamic	549
GLAZER, J. Dilatometric measurement of the rate of vulcanization of crepe rubber	641	fatigue of adhesion of tire cords to rubber stocks LYUBCHANSKAYA, L. I. See KUZMINSKII, A. S.	669
by sulfur monochloride. GOLYBKOVA, E. A. See KUL'BERG, L. M. GORDON, M. Kinetics and mechanism of ac- celerated sulfur vulcanization. Statistical kinetics of Hevea rubber cycliz-	1 784	Madge, E. W., Collier, H. M., and Duck- worth, I. H. Mechanical stability test- ing of Hevea latex. Maddrsky, Irving. See Arnold, Aurelia.	630
ation. Gowans, William J., and Clark, Frederick E. Determination of rubber hydrocarbon by a modified bromination		MADORSKY, IRVING. See ARNOLD, AURELIA. MANDEL, J. See Strieher, R. D. MANN, J. Identification of accelerators and antioxidants in vulcanizates by infrared spectroscopy.	350
method. Grandine, Lester, D., Jr. See Ferry, John D. Grosse, A. V. See Kirshenbaum, A. D.	961	Analysis of vulcanized rubbers. Influence	956
GROSSE, A. V. See KIRSHENBAUM, A. D. GUI, K. E., WILKINSON, C. S., JR., AND GEH- MAN, S. D. Vibration characteristics of tread stocks GUIH, E. See HOLROYD, L. V.	711	Tree sulfur by the copper spiral method Messer, W. E. See Adams, J. W. Monney, Melvin, and Wolsfenholme, W. E. Modulus and relaxation of elastomers in torsion at low temperatures	412
Hendricks, J. O. See Dahlquist, C. A. Hoffman, C. W. See Kirschenbaum, A. D. Holboyd, L. V., Codrington, R. S., Mrowca, B. A., and Guth, E. Nuclear		GEE, G. SE E., JAMES, ROBERT R., AND SNYDER, HAROLD L. Transmission of mechanical vibrations through rubbers MROWCA, B. A. See HOLROYD, L. V. MURPHY, E. A. Douglas Frank Twiss.	517
magnetic resonance study of transitions in polymers Howland, L. H. See Adam, J. W.	767	MURPHY, E. A. Douglas Frank Twiss.	187
IMOTO, MINORU. Study of the mechanism of mastication of rubber. III. Mutual effects of organic bases and softeners on the viscosity lowering of rubber solu-	234	Nemirovskii, N. L. Vulcanization of rubber Nielsen, Bent. See Pedersen, Holger Leth.	36
JAMES, ROBERT R. See MORRIS, ROSS E.	204	OHKITA, KUMAKAZU. See KAMBARA, SHU.	
Jones, A. Vallance. See Sutherland, G. B. B. M. Jones, Gipfin D., and Friedrich, Ralph E. GR-8 aging in solution.	89	PANICH, R. M., KAL'YANOVA, K. A., AND VOYUTSKII, S. S. Mechanism of gelation of latexes. PARKINBON, D. See BLANCHARD, A. F.	596
KAL'YANOVA, K. A. See PANICH, R. M. KAMBARA, SHU, AND OHKITA, KUMAKAZU, Studies of the vulcanization of rubber	209	Pedersen, Holger Leth, and Nielsen, Bent. Relation between stress relaxa- tion and aging resistance of rubber vul- canizates. Some preliminary investiga-	
Studies of the vulcanization of rubber KABATOCHKIN, V. I., AND LUKIN, B. V. Molecular structure and properties of rubber Versy, analysis of the reolecular structure	12	tions. PIERSON, R. M., COLEMAN, R. J., ROGERS, T. H. JR., PEABODY, D. W., AND D'IANNI, J. D. Films from mixtures of natural	40
X-ray analysis of the molecular structure of rubbers. X-ray diffraction of amor- phous rubber.	255	and synthetic rubber latex. Physical	938

Postovskaya, A. F., and Kuzminskii, A. S.	Page		Page
Action of light on sodium-butadiene rub- ber.	872	Sweitzer, C. W., and Lyon, Francis. Oxi- dation of unvulcanized cold rubber. Influence of adsorption by carbon black	557
POULTON, F. C. J., AND TARRANT, L. Determination of free sulfur in vulcanizates by	0.2		001
a polarographic method	161	TAFT, W. K. See DUKE, JUNE. TALALAY, ANSELM. See TALALAY, LEON.	
Davison I A C. Anim I W		TALALAY, ANSELM. See TALALAY, LEON. TALALAY, LEON, AND TALALAY, ANSELM.	
REYNOLDS, J. A. See Adams, J. W. Rogers, T. H. Jr. See Pierson, R. M. Rugg, John S. Ozone crack-depth for rub-		GR-S latexes in foam rubber	972
Rugg, John S. Ozone crack-depth for rub-		TAYLOR N. W. See DAHLOUST C. A.	
ber.	920	TEMPLE, J. W. See BARTEL, A. W.	
ber. See FACKLER, MARION B. RUSSELL, E. W. Crystallization of vulcan-		TALALAY, LEON, AND TALALAY, ANSELM. GR-S lateses in foam rubber. TARRANT, L. See POULTON, F. C. J. TATLOR, N. W. See DARIGUIST, C. A. TEMPLE, J. W. See BARTEL, A. W. TEMPLE, M. VAN DEN. Particle size of rubber.	315
ized rubber at low temperatures	397		313
		See KRAAY, G. M. THIRION, PIERRE. Evaluation of the vul-	
SALOMON, G., SCHEE, A. CHR. VAN DER, KETELAAR, J. A. A. R., AND EYK, B. J. VAN. Infrared analysis of rubber deriva-		canization characteristics of crude rub- ber	99
van. Infrared analysis of rubber deriva-	000	AND CHASSET, R. Application of the	00
tives AND KONINGSPERGER C Kinetic	265	—— AND CHASSET, R. Application of the measurement of the dielectric constant and loss angle to the study of the	
AND KONINGSBERGER, C. Kinetic analysis of organic balides. IV. Analy-		and loss angle to the study of the	
sis of macromolecular polyhalides	573	structure of vulcanizates loaded with carbon blacks	533
SANDOMIBSKII, D. M. See DOGADKIN, B. A. SCHEE, A. CH. VAN DER. See SALOMON, G. SCHROEDER, CHARLES H. Storage stability		THOMPSON, D. C., BAKER, R. H., AND BROWNLOW, R. W. Ozone resistance	
SCHROEDER, CHARLES H. Storage stability		BROWNLOW, R. W. Ozone resistance	
of unvulcanized natural, nitrile, and	201	of Neoprene vulcanizates. Effect of compounding ingredients	928
GR-S rubber compounds Scott, J. R. Improvements in accuracy of	561		-20
hardness testing SELWOOD, P. W. See TOOR, ELIZABETH	375	TOOR, ELIZABETH WEIR, AND SELWOOD, P. W. Diamagnetic anisotropy of	
SELWOOD, P. W. See TOOR, ELIZABETH		P. W. Diamagnetic anisotropy of natural and synthetic rubbers	759
WEIR. SEMEGEN, S. T., AND WAKELIN, J. H. Stud-		TRYON, Max. Improved apparatus for	100
SEMEGEN, S. T., AND WAKELIN, J. H. Studies of the vulcanization and structure	***	determining moisture in rubber by dis-	
of polyacrylic rubber	582	tillation with toluene	704
SHANIN, L. L. See KUZMINSKII, A. S. SHANKAR, UMA. Investigations of the re-		VOYUTSKIĬ, S. S. See PANICH, R. M.	
version of vulcanized rubber under heat	241	VOTOTERII, D. S. Dee LANCH, IC. M.	
SHAW, R. F., AND ADAMS, S. R. Nondestructive aging tests for rubber. SHELTON, J. REID. See WARNER, W. C. SHOKHIN, I. A. See KUZMINSKI, A. S. SNYDER, HAROLD L. See MORRIS, ROSS E. SODEN, A. I., AND WAKE, W. C. Deterioration of rubber under the influence of light and dry and moist heat. SPERBERG, L. R. See SVETLIK, J. F. STANLEY, I. J. See ALLISON, A. R. STECHERT, DIETRICH G., AND BOLT, THOMAS	342	WAKE, W. C. See BORROFF, E. M., AND SODEN, A. L.	
SHELTON, J. REID. See WARNER, W. C.		Soden, A. L.	
SHOKHIN, I. A. See KUZMINSKII, A. S.		WAKELIN, J. H. See SEMEGEN, S. T. WARNER, W. C., AND SHELTON, J. REID. Oxidation of olefins representing some	
SODEN, A. I., AND WAKE, W. C. Deteriora-		Oxidation of olefins representing some	
tion of rubber under the influence of		structural units of GR-S	21
Spenneng L. R. See Svettik J. F.	166	Whorlow, R. W. Study of the mechanism of surface deterioration of ebonite, and	
STANLEY, I. J. See ALLISON, A. R.		of means of preventing deterioration	176
STECHERT, DIETRICH G., AND BOLT, THOMAS	321	Temperature rise in the rubber in rotation	387
D. Evaluation of tread wear. Steel, M. N. See Stiehler, R. D. Stiehler, R. D., Steel, M. N., and Mandel, J. Some factors influencing the	321	Plastometers	901
STIEHLER, R. D., STEEL, M. N., AND MAN-		WILKINSON, C. S., JR. See Gui, K. E. WILLIAMS, G. E. See Buist, J. M.	
road wear of tires	656	WILLIAMS, MALCOLM L. See FERRY, JOHN D.	
SUTHEBLAND, G. B. B. M., AND JONES, A. VALLANCE. Application of polarized	030	WINKELMANN, H. A. Static exposure test-	001
VALLANCE. Application of polarized		ing of automotive compounds	885
lar atructure I Polyisoprenes	480	Stress-temperature studies of transitions	
SVETLIK, J. F., AND SPERBERG, L. R. T-R	•00	in rubbers	468
infrared radiation to problems in molecular structure. I. Polyisoprenes. SVETLIK, J. F., AND SPERBERG, L. R. T-R (temperature-retraction) test for characteristic the law temperature-retraction.		WOLSTENHOLME, W. E. See MOONEY, MELVIN.	
acterizing the low-temperature behavior of elastomeric compositions	140	WOOD, LAWRENCE A. See ARNOLD, AURELIA.	
CIID	TROT	INDEV	
SUB	JECI	INDEX	
Abrasion		Aging	
resistance of GR-S vulcanizatesand wear of rubber. Analysis of wear	191	accelerated, migration of materials during	321
and wear of rubber. Analysis of wear	107	GR-S, in solutionresistance of rubber vulcanizates	89 40
Absorption by carbon black, influence on		tests for rubber, nondestructive	350
curves. Absorption by carbon black, influence on oxidation of unvulcanized cold rubber.	557	Amorphous polymers in the transition region.	751
Accelerators, influence of, on determination of free sulfur	956	Analysis infrared, of rubber derivatives	265
Action		qualitative, of rubber mixtures	157
of light on sodium-butadiene rubber	872	qualitative, of rubber mixtures	107
of unsaturated compounds on natural rub- ber in solution. I. The reaction		celerators on the determination of free	
catalyzed by a peroxide	74	sulfur by the copper spiral method	956
II. The reaction induced by heat alone. Adhesion, measured, effect of speed of strip-	275	Anisotropy, diamagnetic, of natural and syn-	
ping on	391	thetic rubbers	759
Adsorption of metal cations on surface of la-	132	Antioxidants, effects of, on rate of breakdown	gp#
tex particles	102	of rubber during mastication	287

SUBJECT INDEX

	Page		Page
Apparatus for determining moisture in rub-	704	Determination	
Application	704	of absolute rate constants for o efinic oxida-	
of drop analysis to the detection of com-		pre- and after-effects. I. At "high"	
of drop analysis to the detection of com- pounding ingredients in rubber mixtures. II.		OVVDED DESSUES	15
II.	152	of rubber hydrocarbon by a modified	10
of the measurement of the dielectric con-		bromination method	961
stant and loss angle to the study of the		of free sulfur in vulcanizates by a polar-	
structure of vulcanizates loaded with		ographic method	161
carbon blacks	533	in vulcanized rubber mixtures	365
of polarized infrared radiation to problems		of total sulfur in vulcanized rubber	371
in molecular structure. I. Polyiso- prenes.	480	Diamagnetic anisotropy of natural and syn-	759
Atmospheric osone. A simple approximate	100	thetic rubbers Dielectric constant, measurement of	533
method of measurement	700	Diffusion of oxygen and oxidation of rubber	000
Automotive compounds, testing of	885	in the presence of phenyl-\$-naphthyl-	
Autoradiographic technique with carbon ¹⁴		amine	230
in rubber	291	Dilatometric measurement of the rate of vul-	
		canization of crepe rubber by sulfur	
Bases, organic, effect on viscosity lowering		monochloride	48
of rubber solutions	234	Dispersion of carbon black	843
Belt-flexing test of the du Pont type	110	in rubber mixtures	152
Bleome detection of elemental sulfur as in	391 959	Du Pont type belt flexing test	110
Blooms, detection of elemental sulfur, as in Bound rubber of GR-S type	500	Dynamic	
Breakage of carbon-rubber networks by ap-	000	properties, temperature dependence	720
plied stress	808	and static measurements of rubberlike	
Breakdown of rubber during mastication	287	materials	730
Bromination, method for determination, rub-			
ber hydrocarbon	961	Ebonite, surface deterioration of	176
Butadiene rubbers, nature of structural	33	Effect	
changes in	858	of antioxidants on the rate of breakdown	007
Dutyl Tubbel-Chi bou black systems	000	of rubber during mastication	287
Carbon		of speed of stripping on the measured ad- hesion between conveyor-belting plies	391
black		of storage of milled rubber on its molecular	301
adsorption by	557	weight	71
dispersion and reinforcement	843	of temperature and rate of stretching on the	
systems, Butyl rubber	858	tensile strength of vulcanizates	50
blacks		Elasticity of soft polymers. Constant-stress	
bound rubber of GR-S type polymers		elongation tests	56
with	500	Elastoviscous properties of amorphous poly-	***
structure of vulcanizates loaded with	533	mers in the transition region. I	751
rubber networks, breakage of, by applied	909	Elongation tests, constant-stress Estimation of the technological properties of	56
Stress	808	rubber mixtures by their fluidity	339
in rubber, audiographic technique with	291	rubber mixtures by their fluidity Evaluating dynamic fatigue of adhesion of	000
Cations	201	tire cords to rubber stocks	669
metal, in latex	124	Evaluation	
metallic, absorption of	132	of tread wear	321
Changes of the mechanical properties of vul-		of the vulcanization characteristics of	00
canizates during the early states of		crude rubber	99
thermal oxidation	801	Exposure, static, testing of automotive com-	669
Chemical constitution and deactivating effect	549	pounds	003
Chlorinated rubber from latex	609	The state of the section of the section	000
Cold rubber, oxidation of unvulcanized	557	Fatigue, dynamic, evaluating of tire cords	669
Contribution to the physical chemistry of		Films from mixtures of natural and synthetic rubber latex. Physical properties	938
Hevea latex.		Flexing, belt-, test of du Pont type	110
I. Metal cations in latex	124	Fluidity estimation of technological proper-	
II. Adsorption of metallic cations on the	132	ties of rubber mixtures	339
surface of latex particles	102	Foam rubber, GR-S latexes in	972
ments of rubberlike materials	730	Formation of bound rubber of GR-S type	
Crack-depth, ozone, for rubber	920	polymers with earbon blacks	530
Cracking of rubber and GR-S in ozone.	340	Free sulfur	956
Effects of temperature and elongation.	878	determination of, by copper spiral method in vulcanized rubber mixtures	365
Cure, quantitative characterization of	430	in vulcanizates	161
Crystallization			
effects in rubbers	689	Gelation of lateves	596
of vulcanized rubber at low temperatures	397	Gelation of latexes	995
Cyclisation, statistical kinetics of Hevea rub-		Globules, rubber, in Hevea latex	315
ber	784	GR-S	
		aging in solution	89
Deactivating effect, chemical constitution and	549	cracking in ozone	878
Degraded latex, heat sensitization of	309	latexes in foam rubber	972
Derivatives, infrared analysis of rubber	265	rubber compounds, storage stability of	651
Detection of compounding ingredients in rub-		some structural units of	500
ber mixtures	152	type polymers with carbon blacks	300
Deterioration	000	Halidas angenia kinatilit	570
ozone, of elastomeric materials	908	Halides, organic, kinetic analysis of	573
dry and moist heat	166	Hardness testing, improvements in accuracy in	375
			-10

	Page		Page
Heat moist, deterioration of rubber under influ-		Migration of materials during accelerated aging by the oxygen pressure method	331
ence of	166 275	Modulus	439
reversion of vulcanized rubber. sensitivity of Hevea latex. I. Action of	241	as a measure of state of cure	
complex zinc-ammonium complexes	303	low temperaturesand strain of vulcanization	430
II. Process of heat sensitization of de-		Moisture in rubber, apparatus for determining	704
graded latex. sensitization of latex by the zinc salt of	305	Molecular structure and properties of rubber	12
mercaptobenzothiazole	621	weight, effect of storage of rubber on	71
determination ofquantitative determination of	961 680	Nature of structural changes in butadiene	20
quantitative determination of	080	rubbers caused by high temperatures Neoprene vulcanizates, ozone resistance of	33 928
Identification of accelerators and antioxi- dants in vulcanizates by infrared spectros-		Networks, carbon-rubber, breakage of Nitrile compounds, storage stability of	808 651
copy	350	Nondestructive aging tests for rubber	342
Improved apparatus for determining mois-	704	Nuclear magnetic resonance study of transi-	707
ture in rubber by distillation with toluene Improvements in accuracy of hardness test-		tions in polymers	767
ing Infrared	375	Olefinic oxidations, rate constants for	15
analysis of rubber derivatives	265	Olefins, oxidation of	21
radiation, polarized	480	of natural rubber, infrared spectrometric	0.00
spectrometric study of the oxidation of natural rubber	251	study of of olefins representing some structural	258
spectroscopy, study of ozone deterioration		units of GR-S	21
of elastomeric materials	908	olennic	15
Ingredients, compounding, detection of, in rubber mixtures	152	of rubber in presence of phenyl-β-naphthyl-	230
Investigations of the reversion of vulcanized		amine thermal, mechanical properties of vulcan-	200
rubber under heat	241	izates during	801
Kinetic analysis of organic halides. IV.		of unvulcanized cold rubber. Influence of adsorption by carbon black	557
Analysis of macromolecular polyhalides.	573	Oxygen	001
Kinetics and mechanism of accelerated sulfur		diffusion of, in presence of phenyl-8-naph-	222
vulcanizationstatistical, of Hevea rubber cyclization	784	thylamine pressure method, aging by	230 331
bianoucai, or rieves rubber cyclisation	.01	Ozone	
Latex		atmospheric, method of measurement by	700
chlorinated rubber from	609	erack-depth for rubbereracking of rubber and GR-S in	920 878
films from mixtures of natural and syn- thetic rubber	938	deterioration of elastomeric materials.	0.0
gelation of	596	Preliminary results of a study by infra-	000
GR-S, in foam rubber	972	red spectroscopyin Los Angeles and surrounding areas	908 945
heat sensitization of	621	resistance of Neoprene vulcanizates.	
gelling of	995	Effect of compounding ingredients	928
heat sensitivity of	307	Particle size of rubber globules in Hevea	
mechanical stability testing	630 312	latex	315
physico-chemical study of rubber globules, particle size of	315	Permeability, water vapor, of Hevea latex	
water vapor, permeability ofzinc oxide stability of	1106	films. Peroxide, reaction catalyzed by	1106 74
Light	641	Phenyl-8-naphthylamine, oxidation of rub-	19
action of, on sodium-butadiene rubber	872	her in presence of	230
deterioration of rubber under influence of .	167 945	Photochemical pre- and after-effects of olefinic oxidations.	15
Los Angeles, ozone in,	533	Plastometers, rotation, temperature rise in	10
Low-temperature behavior of elastomeric		rubber Polarographic method for determination of	387
compositionsLow temperatures	140	free sulfur	161
crystallization of vulcanized rubber at	397	Polyacrylic rubber, vulcanization and and structure of	
torsion at	412	and structure of Polyhalides, macromolecular analysis of	582 573
Magnetic resonance, nuclear, study of transi-		Polyisoprenes	480
tions in polymers	767	Properties of Butyl rubber-carbon black	
Mastication		systems	858
breakdown of rubber during of rubber, mechanism of	287 234	Qualitative analysis of rubber mixtures. II.	157
Measurement of refractive index of elastomers	693	Quantitative characterization of cure.	101
Mechanical properties of vulcanizates during thermal		I. Relationship between modulus and	
oxidation	801	strain of pure-gum natural-rubber vul- canizates	430
stability testing of Hevea latex	630	II. Use of modulus as a measure of the	
Mechanism	1	state of cure of pure-gum natural-rub- ber vulcanizates	439
of accelerated sulfur vulcanization of gelation of latexes	596	III. Relation between compounds viscos-	400
of gelation of latexes		ity and vulcanizate stiffness of pure-gum	
of surface deterioration of ebonite	995 176	IV. Definition and measurement of rate	446
Mercaptobenzothiazole, zinc salt of	621	of cure for pure-gum natural-rubber com-	
Metal cations in latex	124	pounda	454

	Page		Page
determination of natural rubber hydro-		Study of the mechanism	
carbon by refractive index measure- ments	680	of mastication of rubber. III. Mutual effects of organic bases and softeners on	
Rate		the viscosity lowering of rubber solu-	234
constants for olefinic oxidations	15	of surface deterioration of ebonite, and of	201
of cure for pure-gum compounds of stretching on tensile strength, effect of	454 50	means of preventing deterioration Sulfur	176
of vulcanization of crepe rubber	48	chloride, vulcanization of crepe rubber by .	48
Refractive index		elemental	959
of elastomers measurements of natural rubber hydro-	693	free	956
	000	determination of	161
Reinforcement of carbon black	680	in vulcanized rubber mixtures	365
Relation between stress relaxation and aging	843	total, in vulcanized rubber	371
resistance of rubber vulcanizates. Some		Surface deterioration of ebonite	176
preliminary investigations	40	Technological properties of rubber mixtures.	339
Relaxation distributions	720	Temperature	000
of elastomers in torsion at low temperatures	412	dependence of dynamic properties of	
stress, and aging resistance	40	elastomers. Relaxation distributions	720
Resonance, nuclear magnetic, study of transi-		effect of, on tensile strength	50
tions in polymers	767	retraction test for characterizing low-tem-	
Retraction, temperature-, test	140	perature behavior of elastomeric com- positions	. 140
Reversion of vulcanized rubber under heat	241	rise in the rubber in rotation plastometers.	387
Road wear of tires	656	stress-, studies in rubber	468
Consistintes hand of Harris later 200	200	Tensile strength of vulcanizates	50
Sensitivity, heat of Hevea latex	309	Test for crystallization effects in rubbers	689
Sodium-butadiene rubber, action of light on	872	Tire cords, dynamic fatigue of adhesion of Tires, road wear of	669 656
Softeners effect of, on viscosity lowering of		Torsion at low temperatures	412
rubber solutions	234	T-R (temperature retraction) test for char-	112
Solution		acterizing the low-temperature behavior	
action of unsaturated compounds on na-	077	of elastomeric compositions	140
natural rubber in, effect of unsaturated	275	Transition region, amorphous polymers in the	751
compounds on	74	Transitions	
rubber, viscosity lowering of	234	in polymers, nuclear magnetic resonance	767
Some factors influencing the road wear of		study ofstress-temperature studies	468
tires	656	stress-temperature studies Transmission of mechanical vibrations	
Sorption of Nevea latex films	1106	through rubbers	517
Spectrometric, infrared, of oxidation of na-	258	Tread	
Spectroscopy, infrared	908	stocks, vibration characteristics	711
Stability	000	wear, evaluation of	321 187
of latex, zinc oxide	641	I wise, Douglas Flank	101
storage, of unvulcanized compounds	651	Unsaturated compounds, action on natural	
testing of Hevea latex	630	rubber in solution, of	275
State of cure, modulus as measure of Static	439	Vibration	
exposure testing of automotive compounds	885	Vibration characteristics of tread stocks	711
measurements of rubberlike materials	730	mechanical, transmission through rubbers	
Statistical kinetics of Heven rubber cycliza-		of	517
tion	784	Viscoelasticity of rubber	490
Stiffness of pure-gum vulcanizates	446	Viscosity	234
effect of, on molecular weight of milled		lowering of rubber solutionsand vulcanizate stiffness	446
rubber	91	Vulcanization	**0
stability of unvulcanized natural, nitrile, and GR-S rubber compounds		accelerated sulfur	1
and GR-S rubber compounds	651	accelerated sulfurof crepe rubber, rate of	48
Strain and modulus of vulcanizates	430	of rubber	204
Stress constant, elongation tests	56	and structure of polyacrylic rubber	582 99
relaxation and aging resistance of rubber	30	Vulcanizing characteristics of raw rubber	99
vulcanization	40	Water vapor permeability and sorption of	
temperature studies of transitions in rub-		Hevea latex films	1006
bers	468	Wear	100
Stretching, rate of, on tensile strength	50	and abrasion of rubber	107 656
Stripping, speed of, effect of	391	road, of tires	000
Structural	33	X-ray analysis of the molecular structure of	
changes in butadiene rubbers	21	rubbers. X-ray diffraction of amor-	
units of GR-S	-1	phous rubber	258
molecular, application of polarized infra-		Zine	
red radiation to problems in	480	ammonium compounds, action of complex.	303
of polyacrylic rubber	582	compounds, gelling of Hevea latex by	995
of vulcanizates loaded with carbon blacks.	533	oxide stability of latex	641
Studies of the vulcanization of rubber	209	salt of mercaptobenzothiazole, heat sensi-	601
and structure of polyacrylic rubber	582	tization of latex by	621